## BEST AVAILABLE COPY

# RECEIVED CENTRAL FAX CENTER

DEC 0 8 2006

"PATENT"

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Shaffer et al Serial No.: 10/538,860 Filed: June 14, 2005 For: Polymers with New Sequence	50 50 50 50 50 50 50 50 50 50 50 50 50 5	BEFORE THE OFFICE ACTION: Roberto Robago, Ph.D. Group Art Unit No.: 1713 Attorney Docket No.: 2003B133C Confirmation No.: 9295
Distributions Customer No.: 23455	§ 8	December 7, 2006

Assistant Commissioner of Patents and Trademarks Washington, D.C. 20231

### DECLARATION OF DR. T. D. SHAFFER UNDER 37 CFR § 1.132

#### Dear Sir:

- 1, T. D. Shaffer, hereby declare that:
- I am a citizen of the United States of America and a resident of the City of Hackettstown, NJ. I am one of the inventors of the subject matter described and claimed in the above-identified patent application.
- 2. I was awarded a Ph.D. degree in Macromolecular Science from Case Western Reserve University in May of 1986. Since March of 1991 have been continuously employed as a chemist by ExxonMobil Chemical Company conducting research and development work concerning butyl polymer. During this time, I have specifically worked on developing a copolymer composition comprising an isoolefin and a multiolefin described and claimed in the above-identified patent application.
- 3. Under my supervision and control, I provided the data for the examples disclosed in Table 26 of the application which is replicated below.

\\BTNHME05\XFENG\$\Data\\Working Documents\\Responses\2003\B133C 1.132.doc

PAGE 21/23 \* RCVD AT 12/8/2006 4:22:38 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-5/2 \* DNIS:2738300 \* CSID:2818340525 \* DURATION (mm-ss):03-36

## BEST AVAILABLE COPY

### Table 26 (disclosed in the application as filed)

Example	Diluent	Yield w.%	Mol% 1P	% Bn	m	ε at -95°C
149	CH <sub>3</sub> Cl	58.9	2.55	4.99	1.4	18.34
		58.4	5.61	7.41	'	18.34
		46.9	9.16	10.9	1 1	
		45.1	12.7	13.3		
150	CH <sub>2</sub> FCF <sub>3</sub>	38.3	3.32	4.01	1.2	23.25
	1	34.1	6.98	7.88	*	23.23
		37.8	10.83	11.3		
		13.1	15.5	14.0		
151	CH <sub>3</sub> CHF <sub>2</sub>	48.1	1.92	4.67	2.3	29.33
	1	42.1	3.16	6.18		29.33
	i	37.2	4.16	8.46	i I	
		24.5	7.09	12.4	1 1	
		15.6	8.88	14.9		
152	CH <sub>2</sub> F <sub>2</sub>	100	2.4	4.3	1.9	36.29

4. The Mol% Isoprene disclosed in the Table 26 was experimentally determined. The parameter "A" is the molar ratio of Isoprene to Isobutylene, which can be calculated easily based on the following formula:

## A= mol% Isoprene/(100 - mol% Isoprene).

Therefore, parameter "A" was inherently disclosed in the application as filed.

5. The parameter "m" can be calculated easily by mathematically solving the equation (which was disclosed in the application as filed):

$$F = mA / (1 + mA)^2$$
.

Times  $(1 + mA)^2$  on both side of the "=":

 $F(1+mA)^2 = mA$ 

Apply  $(1 + mA)^2 = 1 + 2mA + m^2A^2$ ;

 $F + 2FmA + Fm^2A^2 = mA$ 

Therefore:

 $FA^2m^2 + (2FA-A)m + F = 0$ 

Then, "m" can be solved because it is well know for a person of ordinary skill that a Quadratic Equation with one variable can be easily solved mathematically.

\\BTNHME05\XFENG\$\\Data\\Working Documents\\Responses\2003B133C 1.132.doc

PAGE 22/23 \* RCVD AT 12/8/2006 4:22:38 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-5/2 \* DNIS:2738300 \* CSID:2818340525 \* DURATION (mm-ss):03-36

## BEST AVAILABLE COPY

Therefore, parameter "m" was inherently disclosed in the application as filed for every example in Table 26.

6. Applicant submits the following Table 26 which is essentially identical to Table 26 in the application. The new Table 26 includes both parameter "A" and "m" calculated according to the method as stated in this declaration.

	1		<del></del>			
Ex.	Diluent	Mol%	A*	% ВП	F*	m
		Isoprene				
149	CH₃CI	2.55 5.61	0.026 0.059	4.99	0.0499	2.1
		9.16	0.101	7.41 10.9	0.0741 0.109	1.5 1.4
150	CH <sub>2</sub> FCF <sub>3</sub>	3.32	0.145	13.3 4.01	0.133	1.3
		6.98 10,83	0.075 0.122	7.88	0.0788	1.3
151	CH₃CHF₂	15.5	0.183	11.3 14.0	0.113	1.2
.51	C13CHF2	1.9 <u>2</u> 3.16	0.020 0.033	4.67 6.18	0.0467 0.0618	2.6
		4.16 7.09	0.043 0.076	8.46	0.0846	2.2 2.4
152	CH <sub>2</sub> F <sub>2</sub>	8.88	0.098	12.4 14.9	0.124 0.149	2.2 2.3
_	1%isonrene/mol		0.025	4.3	0.043	1.9

A\*= (mol%isoprene/mol% isobutylene = mol% isoprene/(100 - mol%isoprene))
F\* = Triad fraction

7. I hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application of any patent issuing thereon.

Date 12/7/06

Dr. T. D. Staffer

\\BTNFIME05\XFENG\$\\Data\\Working Documents\\Responses\2003B133C 1.132.doc

PAGE 23/23 \* RCVD AT 12/8/2006 4:22:38 PM [Eastern Standard Time] \* SVR:USPTO-EFXRF-5/2 \* DNIS:2738300 \* CSID:2818340525 \* DURATION (mm-ss):03-36